



Product Name: TISSUE BUILDER SOLVENT

Section 1 – PRODUCT AND COMPANY IDENTIFICATION

Material Name

TISSUE BUILDER SOLVENT

Synonyms

TISSUE BUILDER SOLVENT

Product Use

Funeral Home Cosmetic Products.

Restrictions on Use

This product should only be used by Licensed Embalmers

Details of the supplier of the safety data sheet

Dr. G.H. Michel - Restor-Skin Company

PO Box 337

202 Sixth Street

East Brady, PA 16028

Phone: 1-800-635-3403

Emergency Phone #: 1-724-526-3565

E-mail: fourcogs16028@yahoo.com

Product Code

Product Size(s): 500 cc, Half-Gallons and Gallons

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 2

Acute Toxicity - Oral - Category 3

Acute Toxicity - Dermal - Category 3

Acute Toxicity - Inhalation - Vapor - Category 3

Serious Eye Damage/Eye Irritation - Category 2A

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

Highly flammable liquid and vapor.

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.
Causes serious eye irritation.
May damage fertility or the unborn child.
Causes damage to organs. (CNS, Eyes)

Precautionary Statement(s)

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep container tightly closed.
Keep away from heat/sparks/open flame/hot surfaces - No smoking.
Ground/Bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Take precautionary measures against static discharge.
Use only non-sparking tools.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media to extinguish.
If exposed: Call a POISON CENTER or doctor/physician.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Take off immediately all contaminated clothing and wash it before reuse.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.
Rinse mouth.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Keep cool.
Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. **Statement**

of Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown acute toxicity.

Other Hazards

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS		
CAS	COMPONENT NAME	PERCENT
67-56-1	Methyl alcohol	100

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a POISON CENTER or doctor/physician if you feel unwell.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth.

Most Important Symptoms/Effects**Acute**

Toxic if swallowed, toxic if inhaled, toxic in contact with skin; Causes serious eye irritation. Causes damage to organs: central nervous system; eyes.

Delayed

May damage fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media**Suitable Extinguishing Media**

Carbon dioxide, dry chemical, alcohol-resistant foam, water spray.

Unsuitable Extinguishing Media

Do not use water jet.

Special Hazards Arising from the Chemical

Highly flammable liquid and vapor.

Hazardous Combustion Products

Oxides of carbon,

Fire Fighting Measures

Move container from fire area if it can be done without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Dike far ahead of liquid spill for collection and later disposal. Cool containers with water spray until well after the fire is out. Vapors may travel to ignition source and flashback. Avoid inhalation of material or combustion by-products. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn. Containers may rupture or explode if exposed to heat.

Special Protective Equipment and Precautions for Firefighters

Wear personal protective clothing and equipment such as self-contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES
--

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Wear fire/flame resistant/retardant clothing. Eliminate all sources of ignition. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if safe to do so. Prevent entry into waterways, sewers, basements, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb with earth, sand or other non-combustible material and transfer to container. Dike far ahead of liquid spill for collection and later disposal. Additionally, for large spills: Water spray may reduce vapor, but may not prevent ignition in closed spaces.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat/sparks/open flame/hot surfaces - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking

tools. Take precautionary measures against static discharge. Wear protective gloves/clothing and eye/face protection. Use only outdoors or in a well-ventilated area. Do not breathe vapor or mist. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not eat, drink or smoke when using this product.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.
 Keep cool.
 Store locked up.
 Keep away from incompatible materials. Keep away from heat.

Incompatible Materials

Strong acid.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION
--

Component Exposure Limits

Methyl alcohol	67-56-1
ACGIH:	200 ppm TWA
	250 ppm STEL
	Skin – potential significant contribution to overall exposure by the cutaneous route.
NIOSH:	200 ppm TWA ; 260 mg/m3 TWA
	250 ppm STEL; 325 mg/m3 STEL
	Potential for dermal absorption
	6000 ppm IDLH
Europe:	200 ppm TWA ; 260 mg/m3 TWA
	Possibility of significant uptake through the skin
OSHA (US):	200 ppm TWA ; 260 mg/m3 TWA
Mexico:	200 ppm TWA LMPE-PPT ; 260 mg/m3 TWA LMPE-PPT
	250 ppm STEL [LMPE-CT] ; 310 mg/m3 STEL [LMPE-CT]
	Skin - potential for cutaneous absorption

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures.

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

Methyl alcohol (67-56-1)

15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

Engineering Controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Safety glasses or goggles are recommended when there is a potential for eye contact.

Skin Protection

Wear appropriate work clothing.

Respiratory Protection

Respiratory protection is required for not sufficiently ventilated working places and during the spraying processing.

Glove Recommendations

Wear appropriate chemical resistant gloves: neoprene, rubber gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, blue liquid	Physical State	liquid
Odor	Aromatic odor	Color	Clear, , blue
Odor Threshold	Not available	pH	Not available
Melting Point	-98 °C	Boiling Point	65 °C (1013 hPa)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Highly flammable
Autoignition Temperature	464 °C	Flash Point	9.7 °C (1013 hPa)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	128 hPa @ 20 °C
Vapor Density (air=1)	1.1 (air = 1)	Specific Gravity (water=1)	Not available
Water Solubility	~ 95% (Soluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	0.791 - 0.792 g/cm ³ at 20 °C	Log KOW	-0.77
Molecular Weight	32.04 (g/mol)		

Other Information

No additional information is available.

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Hazardous polymerization is not expected to occur.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Keep away from incompatible materials.

Incompatible Materials

Strong acid.

Hazardous decomposition products

Oxides of carbon.

Thermal decomposition products

Oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Toxic if inhaled. May cause slight irritation.

Skin Contact

Toxic in contact with skin. May cause slight skin irritation. Prolonged skin contact with dry particulate may cause drying of the skin.

Eye Contact

Causes serious eye irritation.

Ingestion

Toxic if swallowed. May cause vomiting and nausea. Overexposure to methanol may result in acidosis and visual disturbances, headache, stomach pain, coordination disorder.

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and no selected endpoints have been identified

Immediate Effects

Toxic if swallowed, toxic if inhaled, toxic in contact with skin, Causes serious eye irritation. Causes damage to organs: central nervous system, eyes.

Delayed Effects

May damage fertility or the unborn child.

Irritation/Corrosivity Data

Causes serious eye irritation.

Respiratory Sensitization

No information available.

Dermal Sensitization

No information available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No information available.

Tumorigenic Data

No information available.

Reproductive Toxicity

May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Central nervous system, eyes.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No data available for this product.

Medical Conditions Aggravated by Exposure

No data available.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION
--

Component Analysis - Aquatic Toxicity

Methyl alcohol	67-56-1
Fish:	LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flowthrough]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. The responsibility for proper waste disposal lies with the owner of the waste. Hazardous Waste Number(s): D001 (Ignitable).

Component Waste Numbers

Methyl alcohol	67-56-1
RCRA:	waste number U154 (Ignitable waste)

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: METHANOL

Hazard Class: 3

UN/NA #: UN1230

Packing Group: II

Required Label(s): 3

IATA Information:

Shipping Name: METHANOL

Hazard Class: 3

UN#: UN1230

Packing Group: II

Required Label(s): 3

ICAO Information:

Shipping Name: METHANOL

Hazard Class: 3

UN#: UN1230

Packing Group: II

Required Label(s): 3

IMDG Information:

Shipping Name: METHANOL

Hazard Class: 3

UN#: UN1230

Packing Group: II

Required Label(s): 3, 6.1

TDG Information:

Shipping Name: METHANOL, (Contains: Methanol)

Hazard Class: 3

UN#: UN1230

Packing Group: II

Required Label(s): 3, 6.1

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Methyl alcohol	67-56-1
SARA 313:	1 % de minimis concentration
CERCLA:	5000 lb final RQ ; 2270 kg final RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes **Chronic Health:** Yes **Fire:** Yes **Reactivity:** No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Methyl alcohol	67-56-1	Yes	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

Methyl alcohol	67-56-1
Repro/Dev. Tox	developmental toxicity , 3/16/2012

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Methyl alcohol	67-56-1	1 %
-----------------------	----------------	-----

Component Analysis - Inventory

Methyl alcohol (67-56-1)

US	CA	EU	AU	PH	JP-ENCS	JP-ISHL	KR - KECI/KECL	KR-TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 3 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS: April 28, 2016 / SDS Update Rev 1: October 10, 2016 / SDS Update Rev 2: May 17, 2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP -

Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorization, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act.; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.